




34-335 AND 34-336 10" MOTORIZED  
SAW (BEGINNING WITH SERIAL NO. EK-3600)

CS-4H

Revised 3-15-85



# Replacement Parts

| Ref.<br>No. | Part<br>No.     | Description                            | Ref.<br>No. | Part<br>No.         | Description                                       |
|-------------|-----------------|--|-------------|---------------------|---|
| 1           | 34-822          | Standard Insert, Incl:                 | 131         | 1085769             | Bracket   |
| 2           | 901-02-321-7630 | #10-32 X 5/8 Flat Hd. Mach. Scr.       | 132         | 422-16-095-0001     | Trunnion  |
| 3           | 422-16-017-0003 | 9/64 X 3/8 X 1/4 Rubber Bushing        | 133         | 904-01-032-0661     | 13/32 X 7/8 X .180 Washer                         |
| 4           | 422-16-055-0004 | Guide Rail - Rear                      | 134         | 901-01-060-0642     | 3/8-16 X 1 Hex Hd. Cap Scr.                       |
| 5           | 422-03-112-0003 | 5/16-18 Spec. Screw                    | 135         | 901-02-010-0561     | #10-32 X 3/8 Rd. Hd. Mach. Scr.                   |
| 6           | 422-16-104-0001 | Spacer                                 | 136         | 907-01-050-5241     | Grease Fitting                                    |
| 7           | 1085450         | Table                                  | 137         | 901-02-010-0558     | #8-32 X 1/4 Rd. Hd. Mach. Scr.                    |
| 8           | 901-04-080-0154 | #10-32 X 3/8 Headless Set Scr.         | 138         | 422-15-075-0001     | Pointer   |
| 10          | 422-16-104-0001 | Spacer                                 | 139         | 422-15-060-0001     | Holder  |
| 11          | 422-03-112-0003 | 5/16-18 Spec. Screw                    | 140         | 422-16-095-0001     | Trunnion  |
| 12          | 422-16-055-0005 | Guide Rail - Front                     | 141         | 904-01-032-0661     | 13/32 X 7/8 X .180 Washer                         |
| *           | 422-16-343-0003 | Rip Fence Complete, Const. Of:         | 142         | 901-01-060-0642     | 3/8-16 X 1 Hex Hd. Cap Scr.                       |
| 15          | 1087534         | Knurled Knob                           | *           | 422-15-314-0001     | Control Shaft Bracket Ass'y., Const. Of:          |
| 16          | 904-01-010-1603 | 1/4 X 9/16 X 3/64 Washer               | 144         | 422-15-406-0001     | Control Shaft w/Ring                              |
| 17          | 422-16-310-0004 | Front Clamp, Const. Of:                | 145         | 905-01-010-2704     | 1/8 X 3/4 Roll Pin                                |
| 18          | 1087531         | Knob w/Stud                            | 146         | 904-02-011-4237     | 3/4 X 11/16 X 1/32 Fiber Washer                   |
| 19          | 904-15-012-1553 | Retaining Ring (Early Models)          | 147         | 422-15-014-0001     | Control Shaft Bracket                             |
| 20          | 1087212         | Clamp Block                            | 148         | 904-02-011-4237     | 3/4 X 11/16 X 1/32 Fiber Washer                   |
| 21          | 904-01-031-7720 | 21/64 X 1/2 X .032 Washer              | 149         | 904-10-991-596      | Set Collar, Incl:                                 |
| 22          | 901-02-010-0551 | #10-32 X 1/4 Rd. Hd. Mach. Scr.        | 150         | 901-04-150-0208     | 1/4-20 X 1/4 Hex Soc. Set Scr.                    |
| 23          | 422-16-075-0003 | Pointer                                | 151         | 904-07-011-7783     | 37/64 X 7/8 X 1/32 Fiber Washer                   |
| 24          | 901-01-060-9929 | 3/8-24 X 5/8 Hex Hd. Cap Scr.          | 152         | 422-16-351-0001     | Gear (24 Teeth) w/Sleeve                          |
| 25          | 904-01-030-1650 | 25/64 X 11/16 X 1/16 Washer            | 153         | 1087581             | Tilt Clamp  |
| *           | 422-16-343-0002 | Rip Fence, Const. Of:                  | 154         | 901-01-060-3124     | 1/4-20 X 1-1/2 Hex Hd. Cap Scr.                   |
| 26          | 422-04-343-5001 | Fence                                  | 155         | 904-02-020-1702     | 1/4 Lockwasher                                    |
| 27          | 901-01-060-0605 | 5/16-18 X 1/2 Hex Hd. Cap Scr.         | 156         | 904-01-031-7718     | 1 3/16 X 2 X 1/8 Washer                           |
| 28          | 904-01-010-1604 | 5/16 X 3/4 X 1/16 Washer               | 158         | 422-16-067-0002     | Lock Lever  |
| 29          | 422-04-010-5002 | Rear Clamp Block                       | 159         | 1085957             | Tilt Handwheel, Incl:                             |
| 30          | 905-04-071-4459 | 1/4 X 51/64 Pin                        | 160         | 901-04-150-6215     | 1/4-20 X 3/8 Hex Soc. Set Scr.                    |
| 31          | 422-03-027-0001 | Rear Clamp Block                       | 161         | 1085956             | Elevating Handwheel, Incl:                        |
| 32          | 928-01-041-4118 | Spring                                 | 162         | 905-07-011-3111     | Pin   |
| 33          | 422-04-108-5001 | Rod                                    | 163         | 908-13-062-0865     | "O" Ring  |
| 34          | 422-04-067-5001 | Lever                                  | 164         | 448-01-031-0002     | Hole Plug   |
| *           | 50-864          | Miter Gage Complete, Const. Of:        | 168         | 901-01-060-0611     | 1/4-20 X 1/2 Hex Hd. Cap Scr.                     |
| 40          | 422-01-355-0004 | Miter Gage Body, Incl:                 | 169         | 904-02-020-1702     | 1/4 Lockwasher                                    |
| 41          | 901-04-410-4561 | 1/4-28 X 1/4 Headless Set Scr.         | 170         | 422-15-079-0001     | Retainer  |
| 42          | 902-01-200-1086 | Special Hex Nut                        | 175         | 955-03-020-2200     | 5/16" Hex Soc. Long Wrench                        |
| 43          | 901-02-050-0723 | #8-32 X 1/2" Fl. Hd. Scr.              | *           | 438-02-314-0585     | Motor Assembly Complete, Const. Of:               |
| 44          | 931-02-010-1085 | Handknob                               | 176         | 920-10-061-6625     | Arbor Bearing w/Ring                              |
| 45          | 904-07-010-5555 | Fiber Washer                           | 177         | 422-16-035-0002     | Motor End Bell                                    |
| 46          | 422-01-112-0001 | Pivot Screw                            | 178         | 905-01-010-2707     | 5/32 X 1/2 Roll Pin                               |
| 47          | 422-01-304-0001 | Guide Bar, Incl:                       | 179         | 928-07-010-7355     | Bearing Load Spring                               |
| 48          | 901-04-410-4561 | 1/4-28 X 1/4 Headless Set Scr.         | 180         | 920-04-020-5335     | Bell Bearing                                      |
| 49          | 905-04-061-2351 | Steel Pin                              | 181         | 904-15-012-0293     | Retaining Ring                                    |
| 50          | 422-01-058-0002 | Stop Link                              | 182         | 438-02-335-0018     | Armature Assembly                                 |
| 51          | 951-01-041-3988 | Pointer                                | 183         | 920-04-021-6624     | Ball Bearing                                      |
| 52          | 901-07-261-3237 | Stud                                   | 184         | 901-02-052-2037     | #10-32 X 3 Fil. Hd. Mach. Scr.                    |
| 60          | 422-15-031-0002 | Back Cover                             | 185         | 904-03-020-1775     | #10 Int. Tooth Lockwasher                         |
| 61          | 422-15-331-0001 | Cabinet Assembly                       | 186         | 438-02-336-0009     | Field Assembly                                    |
| 62          | 904-02-020-1704 | 3/8 Lockwasher                         | 187         | 438-01-011-0029     | Insulating Tubing                                 |
| 63          | 901-01-060-0640 | 3/8-16 X 3/4 Hex Hd. Cap Scr.          | 188         |                     | Staple Ring                                       |
| 64          | 901-05-221-7373 | #12-24 X 1 Hex Hd. Thread Cutting Scr. | 189         | 422-16-104-0006     | Spacer  |
| 66          | 901-05-221-7374 | #12-24 X 2 Hex Hd. Thread Cutting Scr. | 190         | 422-16-051-0001     | Elevating Gear                                    |
| 67          | 902-03-060-2977 | Tinnerman Nut                          | 191         | 422-16-031-0008     | Motor Cover                                       |
| 70          | 422-15-014-0002 | Bracket                                | 192         | 901-04-080-0154     | #10-32 X 3/8 Headless Set Scr.                    |
| 71          | 901-05-211-7372 | #14A X 5/8 Hex Hd. Sheet Metal Scr.    | 193         | 438-02-011-0001     | Brush Holder                                      |
| 72          | 1085842         | Front Cover Assembly, Incl:            | 194         | 438-02-007-0001     | Brush   |
| 73          | Nameplate       | By Request Only                        | 195         | 803250              | Brush Cap   |
| 74          | 960-03-012-0425 | Scale                                  | 196         | 901-01-060-0619     | 1/4-20 X 1-3/4 Hex Hd. Cap Scr.                   |
| 75          | Nameplate       | By Request Only                        | 197         | 904-02-020-1702     | 1/4 Lockwasher                                    |
| 76          | 1086357         | 10" T.A.S. Nameplate                   | 198         | 904-01-010-1614     | 9/32 X 5/8 X 1/16 Washer                          |
| 77          | 438-01-021-0105 | Switch Plate                           | *           | 422-16-354-0003     | Blade Guard, Const. Of:                           |
| 78          | 438-01-017-0079 | Switch w/Lock Nuts                     | 200         | 1086103             | Bracket Assembly                                  |
| 84          | Cannot Furnish  | Bumper                                 | 201         | 901-01-060-0611     | 1/4-20 X 1/2" Hex Hd. Scr.                        |
| 85          | 901-02-010-0564 | #6-32 X 3/8 Rd. Hd. Mach. Scr.         | 202         | 904-01-010-1614     | 9/32 X 5/8 X 1/16" Washer                         |
| 86          | 438-01-317-0028 | Overload Switch                        | 203         | 422-16-111-0004     | Stud  |
| 87          | 902-03-000-2954 | Tinnerman Speed Nut                    | 205         | 904-02-020-1702     | 1/4" Split Lockwasher                             |
| 88          | 438-01-011-0035 | Insulator                              | 206         | 902-01-120-1034     | 1/4"-20 Hex Jam Nut                               |
| 90          | 422-15-027-0001 | Cable Clamp                            | 207         | 905-01-010-6729     | 5/32 X 11/16" Roll Pin                            |
| 91          | 438-01-007-0041 | Wire Connector                         | 208         | 901-01-060-0629     | 5/16-18 X 3/8" Hex Hd. Scr.                       |
| 92          | 422-16-105-0002 | Sleeve                                 | 209         | 904-01-010-1620     | 11/32 X 11/16 X 1/16" Washer                      |
| 93          | 438-01-018-0026 | Terminal                               | 210         | 1086349             | Splitter Assembly                                 |
| 95          | 438-01-004-0050 | Clamp                                  | 211         | 422-16-071-0002     | Pin   |
| 96          | 438-01-302-0224 | Cord Set                               | 212         | 422-16-047-0001     | Kick Back Finger                                  |
| * * 98      | 34-862          | Extension Wing, Incl:                  | 213         | 1086353             | Spring  |
| * * 99      | 901-01-060-0664 | 7/16-20 X 1 Hex Hd. Cap Scr.           | 214         | 1086387             | Push Nut  |
| * * 100     | 904-02-010-1716 | 7/16 Lockwasher                        | 215         | 1086337             | Pivot Bracket                                     |
| 125         | 902-01-201-2567 | 5/8-18 Arbor Nut                       | 216         | 1086334             | "See-Thru" Guard                                  |
| 126         | 422-03-103-5001 | Flange                                 | 217         | 1086351             | Pin   |
| 127         | 33-247          | 10" Combination Blade                  | 218         | 1086388             | Push Nut (Cap)                                    |
| 128         | 422-16-403-0003 | Arbor Pulley Flange (36 Teeth)         | *           | NOT SHOWN ASSEMBLED |   |
| 129         | 904-01-012-2479 | 5/8 X 3/4 X 1/16 Brass Washer          |             |                     |   |
| 130         | 49-081          | Positive Drive Belt                    |             |                     | These parts are not furnished with Basic Machine. |




**34-335, 34-336, 34-345  
10" MOTORIZED SAW  
(BEGINNING WITH SERIAL NO. FP-400)**

**CS-4J**


422-16-651-0004

Revised 9-1-84




# Replacement Parts


| Ref.<br>No. | Part<br>No.     | Description                          | Ref.<br>No. | Part<br>No.     | Description                        |
|-------------|-----------------|--------------------------------------|-------------|-----------------|------------------------------------|
| 1           | 34-822          | Standard Insert, Including:          | 56          | 422-15-031-0002 | Back Cover                         |
| 2           | 901-02-321-7630 | #10-32 x 5/8 Mach. Scr.              | 57          | 422-15-331-0001 | Cabinet Assembly                   |
| 3           | 422-16-017-0003 | Bushing                              | 58          | 0908460         | #8-32 x 3/4 Pan Hd.                |
| 4           | 422-16-091-0006 | Table                                |             |                 | Thread Forming Scr.                |
| 5           | 901-04-080-0154 | #10-32 x 3/8 Headless Set Scr.       | 59          | 904-02-020-1704 | 3/8 Split Lockwasher               |
| 6           | 422-16-055-0004 | Guide Rail - Rear                    | 60          | 901-01-060-0640 | 3/8-16 x 3/4 Hex Hd. Scr.          |
| 7           | 422-16-112-0002 | Special Screw                        | 61          | 901-05-221-7373 | #12-24 x 1 Hex Hd.                 |
| 8           | 422-16-104-0001 | Spacer                               |             |                 | Sheet Metal Scr.                   |
| 9           | 422-16-004-0009 | Wing Bar                             | 62          | 902-03-060-2977 | Tinnerman Nut                      |
| 10          | 34-862          | Extension Wing, Including:           | 63          | 901-05-221-7374 | #12-24 x 2 Hex Hd.                 |
| 11          | 901-01-060-0681 | 7/16-20 x 11/2 Hex Hd. Cap Scr.      |             |                 | Sheet Metal Scr.                   |
| 12          | 904-02-010-1716 | 7/16 Split Lockwasher                | 64          | 422-15-027-0001 | Cord Clamp                         |
| 13          | 902-01-010-1232 | 7/16-20 Hex Nut                      | 65          | 422-15-031-0005 | Front Cover                        |
| 14          | 901-02-030-0409 | 5/16-18 x 1-1/4 Flat Hd. Mach. Scr.  | 66          | 960-03-012-0425 | Scale                              |
| 15          | 904-01-010-1604 | 5/16 x 3/4 x 1/16 Washer             | 67          |                 | Nameplate-by request only          |
| 16          | 904-02-020-2086 | 5/16 Split Lockwasher                | 68          |                 | Nameplate-by request only          |
| 17          | 902-01-010-1300 | 5/16-18 Hex Nut                      | 69          |                 | Nameplate-by request only          |
| 18          | 422-16-055-0005 | Guide Rail - Front                   | 70          | 901-05-211-7372 | 14A x 5/8 Hex. Hd.                 |
| *           | 422-16-343-0004 | Rip Fence Complete, Consisting Of:   |             |                 | Sheet Metal Scr.                   |
| 20          | 1087198         | Front Clamp Block Ass'y., including: | 71          | 422-15-014-0002 | Bracket                            |
| 21          | 901-02-010-0551 | #10-32 x 1/4 Rd. Hd. Mach. Scr.      | 72          | 1087844         | Guard                              |
| 22          | 422-16-075-0003 | Pointer                              | 73          | 424-01-014-0002 | Switch Guard - Early Model         |
| 23          | 1087534         | Knob                                 | 74          | 1087503         | Switch Cover Plate - Early Model   |
| 24          | 904-01-010-1603 | 1/4 x 9/16 x 3/64 Washer             | 74          | 422-16-072-0001 | Switch Cover Plate - Current Model |
| 25          | 901-01-060-9929 | 3/8-24 x 5/8 Hex Hd. Cap Scr.        | 75          | 960-03-012-0433 | Decal "Push to Reset"              |
| 26          | 904-01-030-1650 | Special Washer                       | 76          | 438-01-004-0050 | Heyco Bushing                      |
| 27          | 422-04-343-5007 | Fence                                | 77          | 414-01-027-5009 | #6-32 x 1/2 Rd. Hd. Mach.          |
| 28          | 901-01-060-0605 | 5/16-18 x 1/2 Hex Cap Scr.           | 78          | 904-03-020-1784 | #6 Internal Tooth Lockwasher       |
| 29          | 904-01-010-1604 | 5/16 x 3/4 x 1/16 Washer             | 79          | 902-01-120-9232 | #6 Hex Nut                         |
| 30          | 422-04-010-5002 | Rear Clamp Block                     | 80          | 902-03-000-2954 | Speed Nut                          |
| 31          | 905-04-071-4450 | Pin                                  | 81          | 438-01-007-0009 | Wire Nut                           |
| 32          | 928-01-041-4118 | Spring                               | 82          | 438-01-017-0093 | Overload Switch                    |
| 33          | 422-03-027-0001 | Rear Clamp Hook                      | 83          | 422-16-027-0003 | Clamp                              |
| 34          | 422-04-067-5001 | Lever                                | 84          | 438-01-017-0079 | Switch-Early Model                 |
| 35          | 422-04-108-5001 | Rod                                  | 85          | 438-01-017-0118 | Safety Switch-Current Model        |
| *           | 34-638          | Blade Guard, consisting of:          | 86          | 438-01-011-0042 | Insulator                          |
| *           | 1086432         | Blade Guard Ass'y., consisting of:   | 87          | 901-11-511-2951 | #10-32 x 3/8 Rd. Hd. Mach. Scr.    |
| 36          | 1087811         | Pin                                  | 88          | 904-03-030-1795 | #10 External Tooth Lockwasher      |
| 37          | 1086388         | Push Nut (Cap)                       | 89          | 438-01-001-0030 | Box                                |
| 38          | 1086334         | "See-Thru" Guard                     | 90          | 438-01-004-0007 | Cable Clamp                        |
| 39          | 1086353         | Spring                               | 91          | 1087496         | Power Cord                         |
| 40          | 422-16-047-0001 | Finger                               |             |                 |                                    |
| 41          | 422-16-071-0002 | Pin                                  | *           |                 | Not Shown Assembled                |
| 42          | 1086387         | Push Nut                             |             |                 |                                    |
| 43          | 1086337         | Pivot Bracket                        |             |                 |                                    |
| 44          | 1086349         | Splitter Assembly                    |             |                 |                                    |
| 45          | 905-01-010-6729 | 5/32 x 11/16 Roll Pin                |             |                 |                                    |
| 46          | 901-01-060-0629 | 5/16-18 x 3/8 Hex Hd. Scr.           |             |                 |                                    |
| 47          | 904-01-010-1620 | 11/32 x 11/16 x 1/16 Washer          |             |                 |                                    |
| 48          | 902-01-120-1034 | 1/4-20 Hex Jam Nut                   |             |                 |                                    |
| 49          | 904-02-020-1702 | 1/4 Split Lockwasher                 |             |                 |                                    |
| 50          | 904-01-010-1614 | 9/32 x 5/8 x 1/16 Washer             |             |                 |                                    |
| 51          | 422-16-111-0004 | Stud                                 |             |                 |                                    |
| 52          | 1086103         | Bracket Assembly                     |             |                 |                                    |
| 53          | 901-01-060-0611 | 1/4-20 x 1/2 Hex Hd. Scr.            |             |                 |                                    |
| 54          | 904-02-020-1702 | 1/4 Split Lockwasher                 |             |                 |                                    |
| 55          | 904-01-010-1620 | 11/32 x 11/16 x 1/16 Washer          |             |                 |                                    |



CONTROL SHAFT BRACKET ASSEMBLY  
—EARLY MODEL



Fabric type gear-most failures and non-replace



**MITER GAGE • CAT. No. 34-578**

# Replacement Parts

| Ref.<br>No. | Part<br>No.     | Description  | Ref.<br>No. | Part<br>No.     | Description  |
|-------------|-----------------|--|-------------|-----------------|--|
| 100         | 902-01-201-8563 | 5/8-18 Arbor Nut                                       | *           | 422-15-314-0001 | Control Shaft Bracket Ass'y. consisting of:                |
| 101         | 422-04-103-5001 | Flange   | 139         | 422-15-106-0004 | Shaft  |
| 102         | 33-247          | 10" Combination Blade                                  | 140         | 905-01-010-2704 | 1/8 x 3/4 Roll Pin   |
| 103         | 422-16-051-0008 | Arbor Pulley Flange-Current Model                      | 141         | 904-15-012-0295 | Retaining Ring   |
|             |                 | 2-5/8 dia. gear w/44 Teeth                             | 142         | 904-07-011-4237 | Fiber Washer   |
| 103         | 422-16-403-0003 | Arbor Pulley Flange-Early Model                        | 143         | 422-15-014-0001 | Control Shaft Bracket                                      |
|             |                 | 1.730 dia. gear w/36 Teeth                             | 144         | 904-01-031-2903 | Special Washer   |
| 104         | 904-01-012-2479 | 5/8 x 3/4 x 1/16 Brass Washer                          | 145         | 422-16-104-0007 | Wavy Washer  |
| 105         | 34-669          | Positive Drive Belt-Current Model                      | 146         | 904-07-011-7783 | 37/64 x 7/8 x 1/32 Hard Fiber Washer                       |
|             |                 | w/44 Tooth Flange                                      | 147         | 1086929         | Gear w/Sleeve  |
| 105         | 49-081          | Positive Drive Belt-Early Model                        | 148         | 1087581         | Tilt Clamp   |
|             |                 | w/36 Tooth Flange                                      | 149         | 422-16-104-0008 | Spacer   |
| 106         | 422-16-014-0006 | Bracket for machines prior to Serial No. EK-3600       | 150         | 928-06-011-8894 | Spring Washer  |
| 106         | 1085769         | Bracket for machines beginning with Serial No. EK-3600 | 151         | 422-16-067-0002 | Lock Lever   |
| 107         | 422-15-060-0001 | Holder   | 152         | 1085954         | Tilt Handwheel   |
| 108         | 422-15-075-0001 | Pointer  | 153         | 422-16-400-0003 | Elevating Handwheel  |
| 109         | 901-02-010-0558 | #8-32 x 1/4 Rd. Hd. Mach. Scr.                         | 154         | 1087525         | Handknob   |
| 110         | 901-02-010-0561 | #10-32 x 3/8 Rd. Hd. Mach. Scr.                        | 155         | 422-22-101-0001 | 5/16 Hex Wrench  |
| 111         | 907-01-050-5241 | Grease Fitting   | 156         | 1087708         | Arbor Wrench   |
| 112         | 422-16-095-0001 | Trunnion   | 157         | 901-01-060-3124 | 1/4-20 x 1-1/2 Hex Hd. Cap Scr.                            |
| 113         | 904-01-032-0661 | 13/32 x 7/8 x .180 Washer                              | 158         | 904-02-020-1702 | 1/4 Lockwasher   |
| 114         | 901-01-060-0642 | 3/8-16 x 1 hex Hd. Cap Scr.                            | *           | 422-15-314-0001 | Control Shaft Bracket Assembly-Early Model, consisting of: |
| *           | 438-02-314-0585 | Motor Assembly, Early Model                            | 160         | 422-15-406-0001 | Control Shaft w/ring                                       |
| *           | 438-02-314-0729 | w/36 Tooth Flange, consisting of:                      | 161         | 905-01-010-2704 | 1/8 x 3/4 Roll Pin   |
|             |                 | Motor Assembly, Current Model                          | 162         | 904-07-011-4237 | 3/4 x 11/16 x 1/32 Fiber Washer                            |
|             |                 | w/44 Tooth Flange, consisting of:                      | 163         | 422-15-014-0001 | Control Shaft Bracket                                      |
| 115         | 920-10-061-6625 | Arbor Bearing with ring                                | 164         | 904-07-011-4237 | 3/4 x 11/16 x 1/32 Fiber Washer                            |
| 116         | 422-16-035-0005 | Motor End Bell, Current Model                          | 165         | 904-10-991-5996 | Set Collar, including:                                     |
|             |                 | w/36 Tooth Flange                                      | 166         | 901-04-150-0206 | 1/4-20 X 1/4 Hex Soc. Set Scr.                             |
| 116         | 422-16-035-0002 | Motor End Bell, Early Model                            | 167         | 904-07-011-7783 | 37/64 x 7/8 x 1/32 Hard Fiber Washer                       |
|             |                 | w/44 Tooth Flange                                      | 168         | 1086929         | Gear w/Sleeve  |
| 117         | 905-01-010-2707 | 5/32 x 1/2 Roll Pin                                    | 169         | 1087581         | Tilt Clamp   |
| 118         | 928-07-010-7355 | Bearing Load Spring                                    | 170         | 904-01-031-7718 | 1-3/16 x 2 x 1/8 Washer                                    |
| 119         | 920-04-020-5335 | Bearing  | 171         | 1085955         | Lock Lever   |
| 120         | 904-15-012-0293 | Retaining Ring   | 172         | 1085954         | Tilt Handwheel   |
| 121         | 438-02-335-0018 | Armature   | 173         | 1085956         | Elevating Handwheel, including:                            |
| 122         | 920-04-021-6624 | Bearing  | 174         | 905-07-011-3111 | Pin  |
| 123         | 901-02-052-2037 | #10-32 x 3 Fil. Hd. Mach. Scr.                         | 175         | 908-13-062-0865 | O-Ring   |
| 124         | 904-03-030-1795 | #10 External Tooth Lockwasher                          | 176         | 448-01-031-0002 | Hole Plug  |
| 125         | 438-02-336-0009 | Field  | *           | 34-578          | Miter Gage, Consisting of:                                 |
| 126         | 422-16-104-0006 | Spacer   | 177         | 1086399         | Miter Gage Body  |
| 127         | 422-16-051-0001 | Elevating Gear   | 178         |                 | Emblem, by request only                                    |
| 128         | 422-16-031-0008 | Motor Cover  | 179         | 1086926         | Spring Washer  |
| 129         | 901-04-080-0154 | #10-32 x 3/8 Headless Set Scr.                         | 180         | 1086924         | Screw  |
| 130         | 438-02-011-0001 | Brush Holder   | 181         | 1087524         | Handknob   |
| 131         | 438-02-007-0001 | Brush  | 182         | 904-07-010-5555 | Washer   |
| 132         | 803250          | Brush Cap  | 183         | 901-02-010-7794 | #10-24 x 1-1/4 Rd. Hd. Mach. Scr.                          |
| 133         | 901-01-060-0619 | 1/4-20 x 1-3/4 Hex Hd. Cap Scr.                        | 184         | 951-01-020-7849 | Pointer  |
| 134         | 904-02-020-1702 | 1/4 Split Lockwasher                                   | 185         | 901-02-052-2002 | #10-32 x 1 Fil. Hd. Mach. Scr.                             |
| 135         | 904-01-010-1614 | 9/32 x 5/8 x 1/16 Washer                               | 186         | 1086393         | Guide Block  |
| 136         | 422-15-079-0001 | Retainer   | 187         | 1086392         | Plunger  |
| 137         | 904-02-020-1702 | 1/4 Split Lockwasher                                   | 188         | 1087519         | Stud   |
| 138         | 901-01-060-0626 | 1/4-20 x 3/4 Hex Hd. Cap Scr.                          | 189         | 422-16-004-0006 | Guide Bar  |

\* Not Shown Assembled